

Page 1:

Line 21, change "lower" to --low--.
Line 22, change "than" to --relative to--.
Line 28, change "reserved" to --contained--.

Page 2:

Line 9, change "hardened, dropping" to --as it drops--.
Line 12, insert --operation-- before "is".
Line 18, delete "the".
Line 19, change "the" (second occurrence) to --a--.

Page 3:

Line 9, change "has flexibility" to --is flexible--.
Line 17, change "defect" to --defects--.
Line 19, change "is" to --are--.

Page 4:

Line 1, change "section" to --sectional view--.

Page 5:

Line 15, change "where" to --in which--.
Line 28, change "the" (second occurrence) to --a--.

Page 6:

Line 11, change "into" to --has--.
Line 12, change "long" to --elongated--.
Line 18, change "other" to --remaining--.

Page 7:

Line 3, change "other" to --remaining--.
Line 17, change "into" to --and has--.
Line 23, insert --held of-- before "reserved".
Line 27, change "30 C" to --30°C--.

Page 8:

2NE Line 4, change "(shown)" to --(shown)--.
Line 9, change "an anode" to --the cathode--.
Line 13, insert --process-- after "galvanization".
Line 16, change "is" to --are--.
Line 23, insert --which is-- before "bent" (first occurrence).

Page 9:

Line 1, insert --making-- before "contact".
Line 14, insert --,-- after "1" and "5".
Line 15, change "reserved" to --contained--.
Line 24, change "steps" to --step--.

Page 10:

Line 19, insert --of the present invention-- before "has".

Page 11:

Line 11, insert --structure-- before "44".

Line 15, change "is," to --is--.

Line 16, change "42" to --42,--.

Line 17, insert --and-- before "is".

Line 20, change "a direct contact with" to --directly contacting--.

Page 12:

Line 3, change "to" to --which can--.

Page 13:

Line 2, change "a direct" to --directly contacting--.

Line 3, delete "contact with".

Line 7, insert --process-- before "can".

Line 12, change "to" to --in--.

Line 17, change "with" to --on--.

Line 21, change "Two" to --An--.

Line 22, change "plates" to --plate--.

Line 28, delete "the" (second occurrence).

A

Page 14:

Line 6, change "with elasticity" to --has elasticity and--.
Line 7, change "with" to --on--.
Line 11, change "for preventing" to --in order to prevent--.
Line 17, insert --so as-- before "to" (first occurrence).
Line 21, change "a direct contact with" to --directly
contacting--.
Line 26, insert --process-- before "can".

Page 15:

Line 4, change "the" (first occurrence) to --a--.
Line 5, insert --also-- before "be".
Line 8, change "galvanization" to --galvanization
process.--.

In the Claims:

Please cancel claims 1-12 without prejudice or disclaimer of
the subject matter thereof, and substitute therefor the following
new claims: